



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

*Reports of States and yearly and monthly reports of cities of the United States.*

CALIFORNIA—*San Francisco*.—Month of July, 1899. Estimated population, 360,000. Total number of deaths, 518, including diphtheria, 5; enteric fever, 16; measles, 7; scarlet fever, 3; whooping cough, 1; cerebro-spinal meningitis, 5; phthisis pulmonalis, 85, and 5 from smallpox.

CONNECTICUT—*Westport*.—Month of August, 1899. Estimated population, 4,000. Total number of deaths, 8, including diphtheria, 2, and 1 from phthisis pulmonalis.

GEORGIA—*Columbus*.—Month of August, 1899. Estimated population, 19,303. Total number of deaths, 30, including enteric fever, 1, and 1 from phthisis pulmonalis.

ILLINOIS—*Springfield*.—Month of August, 1899. Estimated population, 35,000. Total number of deaths, 42, including diphtheria, 1; enteric fever, 1; cerebro-spinal meningitis, 4, and 8 from phthisis pulmonalis.

INDIANA—*Evansville*.—Month of August, 1899. Estimated population, 70,000. Total number of deaths, 90, including enteric fever, 2, and 9 from phthisis pulmonalis.

MAINE—*Biddeford*.—Month of August, 1899. Estimated population, 16,000. Total number of deaths, 39, including whooping cough, 1, and 2 from phthisis pulmonalis.

MASSACHUSETTS—*Holyoke*.—Month of August, 1899. Estimated population, 44,982. Total number of deaths, 70, including enteric fever, 1; meningitis, 2, and 9 from phthisis pulmonalis.

*Newton*.—Month of August, 1899. Estimated population, 27,590. Total number of deaths, 37, including 1 from measles.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended September 2, 1899, from 71 observers, indicate that erysipelas, neuralgia, inflammation of kidney, intermittent fever, and influenza increased in area of prevalence. Phthisis pulmonalis was reported present at 200, enteric fever at 76, scarlet fever at 35, whooping cough at 19, measles at 15, diphtheria at 13, and cerebro-spinal meningitis at 1 place—Grand Rapids.

MINNESOTA—*Shakopee*.—Five weeks ended August 5, 1899. Estimated population, 2,000. Total number of deaths, 3. No deaths from contagious diseases reported.

*Winona*.—Month of August, 1899. Estimated population, 24,000. Total number of deaths, 29. No deaths from contagious diseases reported.

NEW HAMPSHIRE—*Concord*.—Month of August, 1899. Estimated population, 18,000. Total number of deaths, 38, including 1 from diphtheria.

PENNSYLVANIA—*Meadville*.—Month of August, 1899. Estimated pop-

ulation, 12,000. Total number of deaths, 20, including 2 from phthisis pulmonalis.

TEXAS—*Laredo*.—Month of August, 1899. Estimated population, 14,000. Total number of deaths, 43, including enteric fever, 1, and 2 from phthisis pulmonalis.

VIRGINIA—*Lynchburg*.—Month of August, 1899. Estimated population, 30,000. Total number of deaths, 39, including enteric fever, 3, and 4 from phthisis pulmonalis.

Norfolk.—Month of July, 1899. Estimated population, 60,000. Total number of deaths, 98, including enteric fever, 3; whooping cough, 1, and 2 from cerebro-spinal meningitis.

WISCONSIN—*Superior*.—Month of August, 1899. Estimated population, 30,000. Total number of deaths, 32, including 1 from scarlet fever.

MORTALITY TABLE, CITIES OF THE UNITED STATES.

Cities.	Week ended.	Population, U. S. Census of 1890.	Total deaths from all causes.	Deaths from—									
				Phthisis pulmonalis.	Yellow fever.	Smallpox.	Varioloid.	Cholera.	Typhus fever.	Enteric fever.	Scarlet fever.	Diphtheria.	Measles.
Altoona, Pa.	Sept. 2	30,337	13	1									
Ashtabula, Ohio	Sept. 9	8,338	5							1			
Baltimore, Md.	do.	434,439	160	10						5		4	
Baton Rouge, La.	Aug. 26	10,478	5										
Do.	Sept. 2	10,478	2										
Bay City, Mich.	do.	27,839	7								2		
Binghamton, N. Y.	Sept. 9	35,005	15	2									
Boston, Mass.	do.	448,477	168	14					6	1	1		2
Bristol, R. I.	Sept. 2	5,478	6										
Do.	Sept. 9	5,478	1										
Butler, Pa.	Aug. 29	8,734	4										
Cambridge, Mass.	Sept. 2	70,028	29	1								1	1
Do.	Sept. 9	70,028	27	5								1	
Charleston, S. C.	Sept. 2	a 54,955	b 27	2									1
Chelsea, Mass.	do.	27,909	8	1								1	
Do.	Sept. 9	27,909	13										
Chicago, Ill.	Sept. 2	1,099,850	475	40						22	9	15	2
Chicopee, Mass.	do.	14,050	5										
Do.	Sept. 9	14,050	8	1									
Chillicothe, Ohio	Sept. 2	11,288	1										
Cincinnati, Ohio	Aug. 25	296,908	13	10						2			
Do.	Sept. 1	296,908	16	10						2		3	
Cleveland, Ohio	Sept. 2	261,353	148	4						3	1		2
Dayton, Ohio	Sept. 9	61,220	17	2									
Detroit, Mich.	Sept. 1	205,876	103										
Do.	Sept. 8	205,876	88								3	2	
Dubois, Pa.	Aug. 26	6,149	4										
Do.	Sept. 2	6,149	3										
Dunkirk, N. Y.	do.	9,416	2										
Elmira, N. Y.	do.	29,708	9										
Erie, Pa.	do.	40,634	8	1									
Evansville, Ind.	Sept. 9	50,759	20	2						1			
Everett, Mass.	Sept. 2	11,068	2										
Fitchburg, Mass.	do.	22,037	7										
Green Bay, Wis.	Sept. 3	9,069	6										
Hoboken, N. J.	Sept. 2	43,648	18	1								1	
Holyoke, Mass.	Sept. 9	35,637	18	1						1			
Jacksonville, Fla.	Sept. 2	17,201	12	1						1			
Jersey City, N. J.	Sept. 3	163,003	82	8						1			
Johnstown, Pa.	Sept. 9	21,805	12	1						2			
Lancaster, Pa.	Sept. 2	32,011	7	1									
Lawrence, Mass.	do.	44,654	31									3	
Los Angeles, Cal.	do.	50,395	18	3						2			
Louisville, Ky.	Sept. 7	161,129	52	9						5		1	
Lowell, Mass.	Sept. 9	77,696	34	5								2	
Lynchburg, Va.	do.	19,709	8										
McKeesport, Pa.	Sept. 5	20,748	5										
Mahanoy City, Pa.	Sept. 2	11,286	5										

a Estimated population, 65,165—white, 28,870; colored, 36,295.

b White, 17; colored, 20.